



*One Solution  
for all Industries*



**JMC MULTI STAGE**

**Coolant Pumps**



**SHIVAM ENTERPRISE**

Web : [www.jiksanpumps.com](http://www.jiksanpumps.com)

Email : [info@jiksanpumps.com](mailto:info@jiksanpumps.com)



### PRODUCT DETAILS

- Motor Rating: 0.5 Hp to 5 HP & 0.37 Kw to 3.0 Kw
- Immersion Depth (IN coolant): 142 mm to 700 mm
- Pumping Capacity : 10 liter/Min to 250 liter/min (Ref to Head)

### FEATURES

- Available in very wide range.
- High FLEXIBILITY of design.
- Availability in any type of material like cast iron, SS-316, SS-304, bronze, Alloy – 20 Etc..
- Balanced shaft & rotor with excellent grade stamping and wire so highly efficient motor.
- Totally noiseless operation.
- Available in any length and for any liquid.
- TC/Carbon seal for high pressure
- Stainless steel bowls and impellers for long life also available with PP construction
- Large stock, earliest delivery.

### WIDE RANGE OF APPLICATION

Turning	Grinding	Granite	Boring	Filtration	Fountains
Drilling	Circulation	Washing	Milling	Printing	Heat treatment
Cutting	Conveyor	Oil Transfer	Sawing	Cooling	

### PERFORMANCE DATA OF JMC - 2

PUMP MODEL	MOTOR POWER	KW/HP/LENGTH	FLOW IN LPM	17	18	25	32	38	45	50	55
				HEAD IN METER							
JMC 2-20	0.37 / 0.5	142		18	17	16	15	13	12	10	8
JMC 2-30	0.37 / 0.5	160		27	26	24	22	20	18	15	12
JMC 2-40	0.75 / 1	178		26	35	33	30	26	24	20	16
JMC 2-50	0.75 / 1	196		45	43	40	37	33	30	24	20
JMC 2-60	0.75 / 1	214		53	52	50	45	40	36	30	24
JMC 2-70	0.75 / 1	232		63	61	57	52	47	41	35	28
JMC 2-90	1.1 / 1.5	268		80	78	73	67	67	54	45	37
JMC 2-110	1.1 / 1.5	304		98	95	89	82	73	64	54	44
JMC 2-130	1.5 / 2	340		116	114	106	98	89	78	65	52
JMC 2-150	1.5 / 2	376		134	130	123	112	100	90	73	60
JMC 2-180	2.2 / 3	430		161	157	148	136	121	108	91	76
JMC 2-220	2.2 / 3	502		198	192	180	165	148	130	110	90
JMC 2-260	3.0 / 4	574		232	228	214	198	179	158	130	110

**PERFORMANCE DATA OF JMC - 4**

PUMP MODEL	MOTOR POWER	KW/HP	FLOW IN LPM	25	33	50	64	80	96	112	128				
				<b>HEAD IN METER</b>								19	18	17	15
JMC 4-20	0.37 / 0.5	160		28	27	26	24	20	18	13	10				
JMC 4-30	0.75 / 1	187		38	36	34	32	27	24	19	13				
JMC 4-40	0.75 / 1	214		47	44	43	40	34	31	23	17				
JMC 4-50	1.1 / 1.5	241		56	54	52	48	41	37	28	20				
JMC 4-60	1.1 / 1.5	268		66	63	61	56	48	43	33	24				
JMC 4-70	1.5 / 2	295		74	72	70	64	55	50	38	27				
JMC 4-80	1.5 / 2	322		96	90	87	81	71	62	48	34				
JMC 4-100	2.2 / 3	376		114	108	104	95	88	75	58	41				
JMC 4-120	2.2 / 3	430		136	126	122	112	101	89	78	55				
JMC 4-140	3 / 4	484		152	144	140	129	115	101	78	55				
JMC 2-160	3 / 4	538		183	171	168	153	137	122	93	67				
JMC 4-190	3.7/5	619		211	200	192	178	160	138	108	79				
JMC 4-220	3.7/5	700													

**SHIVAM**  
**ENTERPRISE**

16, Banker Estate, B/h. Bharat Party Plot, Rabari Colony, N.H.No. 8,  
 Amraiwadi, Ahmedabad-380026. **Mo : +91 95370 41188**

Email : sales@jiksnpumps.com Web : www.jiksnpumps.com

Distributor